| You are in: Lozier Products > Products > Flex Rx Storage System

# Flex Rx Storage System

Part Number:



Flex Rx features an open back system for better visibility. Shelves install in two positions - flat or 17° downslant - and have a full lip for repositioning shelves with merchandise. Uprite has 1" slot spacing for flexible reconfigurations.

#### **Product Details:**

- 1" slot spacing
- Shelves install in two positions: flat and 17° downslant
- Shelf features an upturned lip on all sides for easy repositioning of Shelves with merchandise
- · Has open back system for better visibility

#### SIZE INFORMATION

• Shelf depth: 7 1/4"

• Height: 84"

- . Overall length without End Frame equals sum of section widths plus 1" to account for Uprite width
- Add 8 1/2" for each End Frame with Shelves
- Add 3/4" for each wood End Panel
- Overall depth: Wall section: 8 1/2" Island section: 15"

#### **How to Order**





#### **COMPONENTS (ORDER SEPARATELY):**

- A Flex Rx Storage System Uprite (island sections require T-Uprites: 1 per section + 1 at end)
- **B** Flex Rx Storage System Overhead Brace (island sections require 1 every other uprite)
- **C** Flex Rx Storage System Stretcher (2 required per section)
- **D** Flex RX Storage System Base Shelf (optional)
- **E** Flex Rx Storage System Wall Mount Clip (wall sections require 2 per section)
- $\boldsymbol{F}$  Flex Rx Storage System Uprite (wall sections require
- L-Uprites: 1 per section + 1 at end)

# Flex Rx Storage System Uprite

- Order T-Uprites for island sections and L-Uprites for wall sections
- 1" x 2" tubing
- T-Uprite leg depth: 15"
- L-Uprite leg depth: 8 1/2"
- Slotted on 1" centers
- Leveling legs included
- · Accepts only Flex Rx brackets
- If floor anchors are needed, use Uprite Anchor Plate (DC1241) or Base Bracket Anchor Plate (DC1242)



### **Product Options and Numbers**

Example Part #: FRX LU 84 09 WHT

Flex Rx System: FRX

Uprite style: LU,TU

Height:84"

**Depth: 9"** (LU only), 16" (TU only)

Standard Finish: WHT

### Suffix Key

**LU** - L Uprite (for wall sections)


**TU** - T Uprite (for island sections)

WHT - White

# Flex Rx Storage System Overhead Brace

- Tubular supports snap into top of Uprite
- Adjusts 48" 72"L
- Required at every other Uprite
- Should be braced to Wall Sections if possible

#### **RECOMMENDED LOCATIONS FOR OVERHEAD BRACES:**





Example Part #: FRX OB4872 WHT

Flex Rx System: FRX

Overhead Brace: **OB4872** 

Standard Finish: WHT

OB4872 - Uprite to Uprite Overhead Brace

WHT - White

# Flex Rx Storage System Stretchers



- Placed at top and bottom of each section to join Uprites
- Snap in design

#### **Product Options and Numbers**

Example Part #: FRXST 16 WHT



Flex Rx Stretcher: FRXST

Width: 16",32", 36", 48"

Standard Finish: WHT

	Suffix Key
WHT	- White

## Flex Rx Storage System Base Shelf

- Base height: 3 1/4"
- Actual Depth of Base Shelf is 6 3/8"
- Integrated Base Shelf and Kick Plate
- Base Shelf can span multiple sections to reduce cost:
  - o Example: one 48" Base Shelf can be used with three 16" sections



#### **Product Options and Numbers**

Example Part #: FRXBS 16 07 WHT

Flex Rx Base Shelf: FRXBS

Width: 16", 32", 36", 48"

Depth: 07

Standard Finish: WHT

	Suffix Key	
WHT	- White	

# Flex Rx Storage System Wall Mount Clip

- Attaches Wall Units to building wall
- Hooks onto Stretcher
- Two required per section
- Fasteners not included



## **Product Options and Numbers**

Part #: FRX WMC GLV

Flex Rx System: FRX

Wall Mount Clip: WMC

Standard Finish: GLV

### Suffix Key

GLV - Galvanized