


| You are in: Lozier Products > Products > S-Series Storage Shelving Sections

S-Series Storage Shelving Sections

Part Number:



Product Details:

- One S-Series Storage Upright Assembly required to finish each continuous run, including single sections
- Order Crossbrace or Closed Back sections based on specifications (see tables below)
- Refer to table below to determine if Regular Duty or HD Crossbraces are needed.
- Can also order Crossbraces and Back separately
- See table below for system load rating
- Note: Back panels provide HD load capacity.

ONE SECTION INCLUDES:

- One S-Series Upright (Open or Closed)
- Back or Crossbrace (if required - see Stabilization Requirements diagram below)
- Top and bottom Shelf (two Shelves per section)

STABILIZATION REQUIREMENTS DIAGRAM

NUMBER OF CONTINUOUS SECTIONS	1	X							
	2	X	X						
	3	X		X					
	4	X			X				
	5	X				X			
	6	X			X		X		
	7	X			X			X	
	8	X				X			X
	9	X				X			

X = DENOTES BRACED SECTION

SECTION CAPACITY

Vertical Shelf Spacing	Regular Duty (XR) Crossbraces	Heavy Duty (XH) Crossbraces or Back Panel
< 24"	1,200 lbs	3,000 lbs
24" - 36"	1,200 lbs	2,500 lbs
36" - 48"	1,200 lbs	2,000 lbs
48" - 60"	1,200 lbs	1,500 lbs
> 60"	Not recommended	Not recommended

NOTE: Shelving Sections loaded beyond 1,200 lbs require Heavy Duty Crossbraces or Back Panel.

ORDERING INSTRUCTIONS

1. Order desired number of S-Series Storage Shelving Sections per the features and options detailed below.
2. Order one additional S-Series Upright Assembly to finish the end of the run.
3. Order desired quantity and style of additional Shelves. Two Shelves are included in the Section.

Product Options and Numbers

S-Series Storage Shelving Section

Upright Style: **Open**, Closed

Stabilization Type: **Regular Duty Cross Brace**, Heavy Duty Cross Brace, Unbraced, Hardboard Back

Section Width: 36", **48"**

Section Depth: **12"**, 18", 24", 30"

Section Height: 48", 60", 72", **84"**, 96", 108", 120", 144"

Shelf Style: **Regular Duty**, Heavy Duty, Wiregrid

Upright and Shelf Finish: **GLV**

Stabilization Finish: **GLV** (Crossbrace), N/A (Backs), N/A (unbraced)

Suffix Key	
GLV	- Galvanized
N/A	- No Finish